




Blezz



E-CATALOG

**SWIMMING POOL TILES  
MOSIAC TILES FOR DECORATION  
BY THE THREE TOUCH**



นโยบายรัฐบาลในยุค 4.0 ให้ความสำคัญเรื่องการสร้างนวัตกรรมใหม่ในองค์กร ซึ่งจะนำประโยชน์มาสู่ภาคธุรกิจและสังคมโดยรวม เรา ในนามบริษัท เดอะทรีทัช เอเชียแปซิฟิก จำกัด ผู้นำกระเบื้องตกแต่งเฉพาะทาง กระเบื้องสระว่ายน้ำ รวมทั้งกระเบื้องสิ่งผลิตตามต้องการ มีความพยายามอย่างต่อเนื่องที่จะพัฒนาผลิตภัณฑ์ในทุกๆ ด้าน ไม่ว่าจะเป็นการออกแบบลวดลายกระเบื้องให้มีความแปลกใหม่ การพัฒนาวัสดุสำหรับผลิตเนื้อกระเบื้องให้มีคุณภาพดีเลิศ ได้มาตรฐานระดับสากลทั้งด้านความสวยงามและการติดตั้งใช้งาน ทั้งนี้ก็เพื่อตอบโจทย์ลูกค้าที่มีความต้องการหลากหลาย และตอกย้ำความเป็นผู้นำในตลาดกระเบื้อง ที่มีเอกลักษณ์เฉพาะตัวตามแบบฉบับของเดอะทรีทัชฯ

เราสร้างความมั่นใจให้ลูกค้า ด้วยมาตรฐานการรับรอง ISO 9001:2015 รวมถึงตราสัญลักษณ์ Trust Mark จากกระทรวงพาณิชย์ นอกจากนี้เดอะทรีทัชฯ ยังได้รับรางวัลต่างๆ จากภาครัฐที่กำนันตีคุณภาพสินค้าและศักยภาพขององค์กรอย่างมากมาย ล่าสุด ปี 2018 เราได้รับรางวัลระดับสุดยอด Sme แห่งชาติของประเทศไทย และเป็นปีที่ 4 ติดต่อกัน

ด้วยการพัฒนาอย่างไม่หยุดยั้ง เดอะทรีทัชฯ จึงคิดค้นนวัตกรรมใหม่จากดินขาวของจังหวัดลำปาง ซึ่งเป็นวัตถุดิบคุณภาพสูง ที่เมื่อนำมาเผาไฟในอุณหภูมิสูง 1,250 องศาเซลเซียสจะได้งานกระเบื้องเคลือบสีไม่เหมือนใคร เป็นงานกึ่งแฮนด์เมดที่มีเอกลักษณ์ มีความแกร่งและดูดซึมน้ำต่ำ สีสันไม่มีติหลากหลาย ไล่ระดับความเข้มอ่อนดูงดงามประหนึ่งผลงานศิลปะ ต่างจากกระเบื้องที่ผลิตด้วยเครื่องจักรทั่วไป ปัจจุบันกระเบื้องเคลือบไฟสูงชนิดนี้ได้รับความนิยมมากในการนำมาใช้ตกแต่งสระว่ายน้ำ ผนังครัว ห้องน้ำ หรือพื้นที่ภายในและภายนอกที่ต้องการความสวยงามมีสไตล์

Government policies in the 4.0 era focus on creating innovations in the organization which are beneficial to the business sectors and the society as a whole. We, The Three Touch Asia Pacific Co.,Ltd, the leading company in specialized decorative tiles, swimming pool tiles and made-to-order tiles has been continuously improving our products in every aspects such as improving the tile materials, the design and the tiles installation to meet the international standards to serve the diverse customer needs and reiterate the leading position of the tile market which is the uniqueness of the The Three Touch Asia Pacific Co.,Ltd.

To meet the needs of diverse customers. It's more unique than before. Focus on your own lifestyle. We strive to uplift the quality of our organization and our products. The ISO 9001:2015 certification granted from the URS and Thailand Trust Mark from the Ministry of Commerce.

In addition to products and company successes, TheThreetouch company also received awards from the public sector, reflecting its ability to improve quality and overall corporate image. The top of the national sme awards Thailand. We have won this award for 4 consecutive years.

In the case of high-glazed tiles. From the kaolin of Lampang. The quality of the property. When heated to a temperature of 1250 degrees Celsius, resulting in unique ceramic tiles. It is a semi-manual. Highly unique. Strength and low in water absorption. It features a variety of colors and a light intensity of the same color that is unlike any tile produced by conventional machinery.

Nowadays, the tiles are very popular in the decoration of the swimming pool. The wall is decorated in the kitchen, bathroom or interior and exterior areas.



PAGE

6



**PROJECT SAMPLES**

ภาพถ่ายอย่างผลงาน  
โครงการต่างๆ ที่ใช้  
กระเบื้อง Blezz

PAGE

8

**HG(C) / HG(N)**

**HIGH TEMPERATURE  
GLAZED CLAY TILES  
(classic series and natural series)**

กระเบื้องดินเผาเคลือบสีเผาไฟแรงสูง  
รุ่นสีคลาสสิก และรุ่นสีธรรมชาติ

PAGE


10

**TG**

**TRANSPARENT  
GLAZED CLAY TILES**

กระเบื้องดินเผาเคลือบสี  
เผาไฟแรงสูง





PAGE  
**13**

**POOL ACCESSORIES**

อุปกรณ์เสริม

PAGE  
**14**

**NATURE STONE**

กระเบื้องธรรมชาติ

PAGE  
**15**

**DECORATIVE TILES**

กระเบื้องสำหรับตกแต่ง

PAGE  
**21**

**SHAPES AND SIZES**

แบบและขนาดกระเบื้อง

PAGE  
**24**

**BLEZZ TILES INSTALLATION RECOMMENDATION  
(for glazed clay tiles)**

คำแนะนำการติดตั้งกระเบื้องดินเผาเคลือบสีเผาไฟแรงสูง เบลส

PAGE  
**26**

**PRODUCTS BENEFITS**

ลักษณะเด่นของกระเบื้องเดอะดรีทซ์ฯ



PAGE  
**12**

**MOSAIC  
HIGH TEMPERATURE  
GLAZED CLAY TILES  
HG(N)**

กระเบื้องดินเผาเคลือบสี  
เผาไฟแรงสูง รุ่นพิเศษ
















# HG(C)


## HIGH TEMPERATURE GLAZED CLAY TILES (classic series)

กระเบื้องดินเผาเคลือบสีเผาไฟแรงสูง รุ่นสีคลาสสิก

ด้วยคุณสมบัติของดินขาวจากแหล่งกำเนิดในไทย นำมาขึ้นรูปเป็นแผ่นกระเบื้อง แล้วชุบสีตามต้องการ ผ่านการเผาที่อุณหภูมิสูงถึง 1,250 องศาเซลเซียส ทำให้สีกระเบื้องที่ออกมามีความโดดเด่น เป็นเอกลักษณ์ไม่เหมือนใคร สีสันมีมิติ มีแบบเนื้อหน้าใสและหน้าทึบ แต่ยังคงความเป็นธรรมชาติไว้ได้อย่างลงตัว

With the properties of the kaolin originated in Thailand forming to be tiles and color shading. Heating to 1,250 Celsius making tiles colors uniquely stand out unlike no others. There are matte and gloss options.

### POPULAR COLOURS



**HG(C)-001**  
GHOST  
WHITE



**HG(C)-002**  
CHIFLON  
BEIGE



**HG(C)-003**  
CHIFFON  
BEIGE



**HG(C)-004**  
LIGHT  
GREEN



**HG(C)-005**  
LIGHT BLUE  
PASSION



**HG(C)-006**  
FLAMIGO  
PINK



**HG(C)-007**  
ROSY PINK



**HG(C)-008**  
GRAPE



**HG(C)-009**  
RASPBERRY



**HG(C)-010**  
FERRARIRED



**HG(C)-011**  
PEANUT  
YELLOW



**HG(C)-012**  
FRENCHROSE



**HG(C)-013**  
GOLDENROD



**HG(C)-014**  
BROWNY



**HG(C)-015**  
FRENCH SKY  
BLUE



**HG(C)-016**  
FEENCBLUE



**HG(C)-017**  
FRENCH  
DARKBLUE



**HG(C)-018**  
BLUVY



**HG(C)-019**  
NAVY BLUE



**HG(C)-020**  
SEAGREEN



**HG(C)-021**  
KHAKI



**HG(C)-022**  
CHERRY  
PINK



**HG(C)-023**  
PURPLE  
MAGENTA



**HG(C)-024**  
CORNSILK




**HG(C)-025**  
ORCHID




**HG(C)-026**  
DARK  
VIOLET



**HG(C)-027**  
TEAGREEN



**HG(C)-028**  
CORAL  
BROWN



**HG(C)-029**  
DARK  
BROWN




**HG(C)-030**  
BANANA  
LIME



**HG(C)-031**  
DARK OLIVE



**HG(C)-032**  
OLIVE  
GREEN



**HG(C)-033**  
TAN GREY

HG(C)  
SEA GREEN

HG(C)  
FRENCH  
SKY BLUE

HG(C)  
FRENCH  
BLUE

HG(C)  
FRENCH  
DARK BLUE

HG(C)  
BLUVY




# HG(N)

HIGH TEMPERATURE GLAZED CLAY TILES (natural series)

กระเบื้องดินเผาเคลือบสีเผาไฟแรงสูง รุ่นสีธรรมชาติ

POPULAR COLOURS



HG(N)-001  
SNOW  
WHITE



HG(N)-002  
MINT  
WHITE



HG(N)-003  
PALE  
GREEN



HG(N)-004  
SPRING  
GREEN



HG(N)-005  
PEACHPUFF



HG(N)-006  
SAND  
BROWN



HG(N)-007  
DARK  
BROWN



HG(N)-008  
YELLOW  
GREEN



HG(N)-009  
CUSTARD



HG(N)-010  
SUNFLOWER



HG(N)-011  
DARK RED



HG(N)-012  
REDISH



HG(N)-013  
SLATE  
BLUE



HG(N)-014  
BLACK



HG(N)-015  
AQUA



HG(N)-016  
SKY  
BLUE



HG(N)-017  
CYAN  
BLUE



HG(N)-018  
DOGGER  
BLUE



HG(N)-019  
MIDNIGHT  
BLUE



HG(N)-020  
OCEAN  
BLUE



HG(N)-021  
CELADOL  
BLUE



HG(N)-022  
ANDAMAN  
BLUE



HG(N)-023  
DEEP SEA  
BLUE



HG(N)-025  
GREY



HG(N)-026  
DIM  
GREY



HG(N)-027  
DARK SLATE  
GREY



HG(N)-028  
BLACKHAWK



HG(N)-030  
GRASSY



HG(N)-031  
ALGAE  
GREEN



HG(N)-032  
FOREST  
GREEN



HG(N)-033  
TURQUOISE  
GREEN



HG(N)-034  
NIGHT  
GREEN



HG(N)-035  
LIME  
GREEN



HG(N)-036  
FEEL  
BLUE



HG(N)-037  
GLOSSY  
SALMON



HG(N)-038  
GOLDEN  
YELLOW



HG(N)-039  
GOLDEN  
BROWN



HG(N)-040  
LIGHT  
OLIVE



HG(N)-041  
DEEP  
ORANGE



HG(N)-042  
CRYSTAL  
WHITE



HG(N)-043  
MOCCASIN

HG(N)  
SKY  
BLUE

HG(N)  
CYAN  
BLUE

HG(N)  
FEEL  
BLUE

HG(N)  
CELADOL  
BLUE

HG(N)  
GRASSY



Blezz

# TG


## TRANSPARENT GLAZED CLAY TILES

### กระเบื้องดินเผาเคลือบสีเผาไฟแรงสูง

กระเบื้องดินเผาเคลือบสีเผาไฟแรงสูงที่พัฒนาสูตรเนื้อดินให้มีความละเอียดมากขึ้น โดยการสกัดแร่ดินสีดำออก คงเหลือไว้แต่ดินที่มีความละเอียด ก่อนนำมาผ่านกระบวนการไล่ความเป็นแก้ว ให้เนื้อกระเบื้องมีความใสแวววามคล้ายคริสตัล

High temperature ceramic tile with more refined clay material by removing black clay material, leaving with the refined clay before crystallization making the tiles transparent like crystal.

#### POPULAR COLOURS





**TG-001**  
FERN



**TG-002**  
ARCTIC BLUE



**TG-003**  
CLOUDY BLUE



**TG-004**  
IRON BLUE



**TG-005**  
SEAFOAM



**TG-006**  
SEA GREEN



**TG-007**  
COBALT



**TG-008**  
TEAL BLUE



**TG-009**  
CYAN



**TG-010**  
IRIS BLUE



**TG-011**  
SUPPHIRE BLUE



**TG-012**  
BLUE LAKE



**TG-013**  
GRAPHITE



**TG-014**  
CLOVER



**TG-015**  
SPRING GREEN



**TG-016**  
EMERALD



**TG-017**  
GRASSY GREEN



**TG-018**  
CORAL GREEN



**TG-019**  
FLORA



**TG-020**  
FROST



**TG-021**  
ROSE WOOD



**TG-022**  
SILVER GREY



**TG-023**  
HAZEL WOOD



**TG-024**  
SAND CASTLE



**TG-025**  
DEEP OASIS



**TG-026**  
BRIGHT BLUE



**TG-027**  
BLUE LAKE



**TG-028**  
BLUE WAVE



**TG-029**  
GRAY SMOKE



**TG-030**  
LIGHT GRAY



**TG-031**  
GREEN PALE




**TG-032**  
GREEN SMOKE



## MOSAIC HIGH TEMPERATURE GLAZED CLAY TILES HG(N)

ขนาด 1"x1"



ANDAMAN BLUE



ANDAMAN BLUE



ANDAMAN BLUE

## MOSAIC HIGH TEMPERATURE GLAZED CLAY TILES HG(N)

ขนาด 1"x4"



DAISY  
YELLOW STRIP




SAKURA  
PINK STRIP




SHAAMROCK  
GREEN STRIP

## MOSAIC HIGH TEMPERATURE GLAZED CLAY TILES HG(N)


ขนาด 1x6



BUTTERFLY  
PEA STRIP



IXORA  
RED STRIP




MARI  
GOLD STRIP




## MOSAIC HIGH TEMPERATURE GLAZED CLAY TILES HG(N)


ขนาด 2"x2"



ANDAMAN BLUE



CARIBBEAN GREEN



PRETTY GREY

## MOSAIC HIGH TEMPERATURE GLAZED CLAY TILES HG(N)

ขนาด 2"x4"



BLACK  
SUBWAY



GREY  
SUBWAY



RED  
SUBWAY

## MOSAIC HIGH TEMPERATURE GLAZED CLAY TILES HG(N)

ขนาด 2"x6"



BROWN  
SUBWAY



EARTH  
SUBWAY



GREY  
SUBWAY



# POOL ACCESSORIES

อุปกรณ์เสริม Size 2".3".4".6"


Pcs./BOX : 1 BOX 25 Pcs.



**INTERNAL POOL CORNER**



**ANTI SLIP**



**COUNTERTRIM**



**EXTERNAL CORNER RIM**



**EXTERNAL**




**EXTERNAL POOL CORNER**



**INTERNAL CORNER RIM**



**SWIMMING POOL STAIRNOSE**



**STAIRNOSE**




**INTERNAL**





# POOL ACCESSORIES

อุปกรณ์เสริม





# SUBWAY TILE

3x12 inch / 4x12 inch



3x12 inch



4x12 inch



Beveled subway tiles


Original subway tiles

## BEVELED SUBWAY TILES


SIZE: 3"x6"



White



Black



Grey



Dark grey



Lightblue




Orange



Yellow

## ORIGINAL SUBWAY TILES


SIZE: 2"x6", 3"x6", 4"x8"




White




Kaki



Duckgreen




Lightbrown



Beige



Royalblue



Black



Redflag





# SUKABUMI (GREEN STONE)

ขนาด 4"x4"



**FRONT**



**SIDE**



**BACK**





# DARK SILVER GREY STONE

ขนาด 4"x4"



**FRONT**



**SIDE**



**BACK**





## DECORATIVE TILES

กระเบื้องสำหรับตกแต่ง

Custom Made In any Color Of TG Or HGN Series

สามารถสั่งเปลี่ยนสีได้ตามต้องการ



### CHEVRON




TGCH-SEAGREEN




TGCH-CYAN



TGCH-SEAFOAM




TGCH-CLOVER



TGCH-CLOVER



TGCH-BLUE LAKE



TGCH - 2A05

### FANTASTIC



TGFT-SPRING GREEN



TGFT-SUPPHIRE BLUE



TGFT-TEAL BLUE



TGFT-CYAN



TGFT-CYAN+SPRING GREEN



## DIAMOND



TGDI - SUPPHIRE BLUE



TGDI - SUPPHIRE BLUE



TGDI-ARCTIC BLUE



TGDI-TEAL BLUE



TGDI - EMERALD



TGDI-CLOUDY BLUE



TGDI-3A02



**CROWN**



TGCRCROWN-SEAFOAM



TGCRCROWN-CLOUDY BLUE



TGCRCROWN-EMERALD



TGCRCROWN-TEALBLUE



TGCRCROWN-ARCTIC BLUE



TGCRCROWN-SUPPHIRE BLUE



**CUBE**



TGCU-CUBE-SEAFOAM



TGCU-CUBE-CLOVER



TGCU-CUBE-ARCTIC BLUE



TGCU-CUBE-BLUE LAKE





TGTW-CLOVER



TGTW-SEAGREEN



TGTW-BLUE LAKE



TGTW-ARCTIC BLUE



TGTW-CYAN



TGTW-2B05

## TWIST





# POOL MOSAIC


POOL MOSAIC STONE COLLECTION



**4SR1 HIDEAWAY ALPINE GREEN**




**4SR1 HIDEAWAY ALPIN LIGHT GREY**



**4SR1 HIDEAWAY ALPIN GREY**



**4SR1 S MARBLE**



**4SR1 CALACATTA**

## DIMENTION :

**1"x1"**  
DIMENSION :  
W 25xL 25

**2"x2"**  
DIMENSION :  
W 50xL 50

**3"x3"**  
DIMENSION :  
W 75xL 75

**4"x4"**  
DIMENSION :  
W 100xL 100  
W 150xL 150  
W 200xL 200








**1"x2"**  
DIMENSION :  
W 25xL 50

**1"x4"**  
DIMENSION :  
W 25xL 100

**1"x6"**  
DIMENSION :  
W 25xL 150

**2"x4"**  
DIMENSION :  
W 50xL 100

**2"x6"**  
DIMENSION :  
W 50xL 150



**2"**  
DIMENSION :  
W 36xL 70

**3"**  
DIMENSION :  
W 30.5xL 98







**4"**  
DIMENSION :  
W 49xL 49

**4"**  
DIMENSION :  
W 100xL 100

**4"**  
DIMENSION :  
W 48xL 84

**4"**  
DIMENSION :  
W 35xL 100

**4"**  
DIMENSION :  
W 99.5xL 81.5xH 10 mm.






## Installation Team

ทีมงานผู้เชี่ยวชาญการติดตั้ง

เราทีมงานผู้เชี่ยวชาญในเรื่องของงานติดตั้งกระเบื้อง ไม่ว่าจะเป็น กระเบื้องสระว่ายน้ำ กระเบื้องเคนไซ กระเบื้องแลนด์สเคป โดยช่างผู้เชี่ยวชาญในเรื่องของงานติดตั้งกระเบื้องที่มากประสบการณ์ที่ผ่านงานติดตั้งมาแล้วมากกว่า 1000 โครงการ






## Official dealer



# BLEZZ TILES INSTALLATION RECOMMENDATION


(for glazed clay tiles)

คำแนะนำการติดตั้งกระเบื้องดินเผาเคลือบสีเผาไฟแรงสูง เบลส




1. ปรับระดับพื้นหรือผนังให้ได้ระดับตามต้องการ และทำความสะอาดให้ปราศจากสิ่งสกปรก
2. วัดแนวการปูกระเบื้อง กำหนดจุดเริ่มต้น ดีเส้นทั้งแนวตั้งและแนวนอน
3. นำกระเบื้องออกจากกล่องอย่างน้อย 3-5 กล่องมาคละกั้นก่อนปู (เพราะกระเบื้องเป็นกระเบื้องกึ่งแฮนด์เมด จะมีขนาดและสีต่างกันเล็กน้อย ฉะนั้นจึงควรนำมาปูคละกั้นเพื่อให้เป็นธรรมชาติ)
4. ผสมปูนกาวซีเมนต์แล้วฉาบด้วยเกรียงด้านเรียบ
5. ฉาบปูนกาวซีเมนต์แล้วใช้เกรียงด้านพื้นหวี คุรดกาวซีเมนต์ที่ฉาบไว้ให้เป็นรอยบริเวณที่ต้องการปูโดยเว้นร่องกระเบื้องประมาณ 5 มม. (จะใช้กระเบื้อง 90 แผ่นต่อ 1 ตรม.ซึ่งเป็นมาตรฐานที่โรงงานผลิตแนะนำ \*เช่น กรณีนี้กระเบื้องขนาด 4"x4" แต่ถ้าต้องการปูเว้นร่องน้อยกว่านี้ แนะนำไม่ควรต่ำกว่า 3 มม. ปริมาณการใช้กระเบื้องขึ้นอยู่กับสัดส่วนการเว้นร่อง)
6. นำกระเบื้องมาปูตามแพทเทิร์น โดยเริ่มตั้งแต่มุมที่กำหนด วางคละกั้นตามน้ำหนักของสีแล้วใช้ค้อนยาง หรือด้ามเกรียงเคาะเบาๆ จัดหรือปรับตำแหน่งของกระเบื้องให้ได้แนวสวยงาม
7. ก่อนยาแนวควรทิ้งกระเบื้องที่ปูแล้วให้แห้งประมาณ 48 ชม. ใช้เกรียงปาดยาแนวส่วนเกินออกจากกระเบื้อง หลังจากนั้นทำความสะอาดร่องกระเบื้อง (ควรหมั่นเช็คคราบยาแนวบนพื้นหน้ากระเบื้องตลอดเวลา เพราะหากติดเป็นเวลานานอาจทำให้ไม่สามารถเช็ดออกได้หรือออกยากมากในภายหลัง)

1. Adjust the floor level or wall level as needed and make sure the surfaces are clean, smooth and dry for best results.
2. Measure the area for tiles installation. Set up the starting point and draw the layout vertically and horizontally.
3. Unbox the tiles 3-5 boxes and mix the tiles together before installation. (To ensure that the color are mixed naturally due to the semihandmade process that would make tiles have some variation in colors and sizings)
4. Mix the tile adhesive and plaster them using the flat side of the trowel.
5. Plaster the tile adhesive using the pointed blade side of the trowel and leave the grout between tiles with approximately 5 mm due to tiles sizing's variation (standard set from the factory : for example tiles size 4"x4" set as 90 pcs./sqm./box so if the client want less grout we would recommend not less than 3 mm for grout (You may need to add more tiles in the ratio).
6. Place the tiles according to the layout starting at the corner and randomly place the mixed tiles by the color shades and tap lightly by the rubber hammer. Adjust or place the tiles according to the alignment or in order.
7. Before grouting, leave the installed tiles to get dry up to 48 hrs. Then remove excessive grout from the tiles by the trowel. After that, clean the grout spaces between tiles (Recommends to clean the grout strains thoroughly. If the strains are left for long time, it might not be able to be removed.)



## PRODUCT BENEFITS

### ลักษณะเด่นของกระเบื้องเดอะตรีทซ์ซ



#### งานทำมือ

ทุกขั้นตอนในการผลิต เป็นผลงานสร้างสรรค์จากผู้เชี่ยวชาญที่ลงมือทำด้วยตัวเอง ตั้งแต่การตัด ผสมสี ให้ความร้อน รวมทั้งงานติดตั้งที่ประณีตบรรจง เพื่อให้ลูกค้าของเราได้รับงานที่ดีที่สุด

#### HANDMADE

Every production process is literally made by experienced hands, from cutting the glass, coloring, heating, to the meticulous installation for ensuring the quality of our products.




#### ปลอดภัย

กระเบื้องทุกแผ่นของเราเป็นสินค้าที่ปลอดภัย ไม่มีสารปรอทหรือสารพิษ ที่เป็นอันตรายต่อผู้ใช้งาน

#### SAFETY

Every single tiles is safe for all users, non-mercury and toxic free.




#### คงทน

กระเบื้องตรีทซ์ซมีความคงทน เนื่องจากผ่านความร้อน 1,250 องศาเซลเซียสมาแล้ว งานออกแบบตกแต่งของลูกค้ายิ่งไม่เลือนรางไปตามกาลเวลา

#### DURABILITY

The 1,250 degree heat tempering makes sure that with our products, your home decorations will not be faded as time passes by.




#### มีมิติ

ความใสช่วยให้ผิวหน้ากระเบื้องมีมิติมากขึ้น เมื่อปูออกมาจะยิ่งสวยงามกว่าเซรามิกทั่วไปที่สะท้อนแสงออกมาเพียงด้านเดียว นอกจากนี้ความโปร่งของเนื้อกระเบื้องยังเสริมให้งานออกแบบดูมีชีวิตชีวา สร้างสรรค์ผลงานอันเป็นเอกลักษณ์ได้อย่างไม่มีข้อจำกัด

#### GREATER DIMENSION

There are more dimensions due to the glass's transparent quality, giving the greater beauty than normal ceramics that can only offer one angle of light reflection. Furthermore, our product's transparency can be designed to increase the aesthetic quality according to your needs.




#### ผลิตตามความต้องการของลูกค้า

เดอะตรีทซ์ซสามารถผลิตกระเบื้องได้ตามที่ลูกค้าต้องการ เนื่องจากสินค้าของเราเป็นงานทำมือ ลูกค้ายิ่งสั่งทำตามแบบเฉพาะที่ดูใจ ในเวลาที่กำหนด ตัดปัญหาเรื่องการติดตั้งไปได้เลย เพราะกระเบื้องทุกแผ่นออกแบบมาให้ติดตั้งง่าย ใช้งานได้จริง

#### MADE TO ORDER

Production on demand. Because our products are handmade, your orders can be customized to your unique preferences, with a satisfactory delivery deadline. Also, installation will not be a problem, each piece is numbered for easy installing.



#### ผลิตในประเทศไทย

กระเบื้องเดอะตรีทซ์ซคืออีกหนึ่งผลิตภัณฑ์อันน่าภาคภูมิใจของไทย เพราะนอกจากความสวยงาม มีสไตล์ และทนทานแล้ว คุณภาพยังไม่เป็นรองกระเบื้องนำเข้าจากประเทศอื่นๆ การที่เราผลิตสินค้าในไทย ทำให้สามารถส่งสินค้าให้ลูกค้าได้ตรงเวลา

#### MADE IN THAILAND

A proud Thai product with beauty, elegance, and durability in every piece that contributes to the integrity of Thai products, another testament to Thai products is no less than in quality to imported products. With production advantages, we can produce and deliver our products to you as agreed on time.





# TEST REPORT



National Metal and Materials Technology Center  
National Science and Technology Development Agency  
114 Thailand Science Park, Pathayathin Rd.,  
Klong 1, Klong Luang, Pathumthani 12120 Thailand.  
Tel: 66 2564 6500 ext. 4215, 4249 Fax: 66 2564 6502  
E-mail: Savitree@mtec.or.th http://www.mtec.or.th



Approved Thailand  
Laboratory

## TEST REPORT

THE THREE TOUCH ASIA PACIFIC CO., LTD.  
56/23 Serithai Rd., Kannayao,  
Kannayao, Bangkok 10230, Thailand  
Tel: 66 2379 9065-7

FAO: Nuttawan Kraikabkaew

REPORT OF TESTS ON TILES

Your Reference TILE: BLEZZ / BLEZZ – GLAZED CLAY TILE  
Colour/Details: White/4 x 4"  
MTEC Samples 1101438 - 1101447

Date Reported 12-07-2011 Order/Job No. TL10-0057/12  
Date Received 08-07-2011 Date of Test 08-07-2011 to 11-07-2011

### DETERMINATION OF WATER ABSORPTION

ISO 10545-3: 1995

#### Sample description

Ten test specimens were used for determination.

#### Standard used

ISO 13006 is used for showing compliance.

#### Results

Sample No	Water Absorption (%)
1	0.89
2	0.70
3	0.60
4	0.75
5	0.69
6	0.98
7	0.43
8	0.72
9	0.62
10	0.98
Average	0.74

The stipulation for Group B<sub>I</sub> tiles/quarries is that the average value should be 0.5% < E ≤ 3% and the individual maximum should not exceed 3.3%. The tiles therefore comply with the requirements.

End of Test Report

Savitree Kongkeatvanit  
Authorised Signatory

Page No. 1 of 1

This report is issued in accordance with the Conditions of Business of MTEC and relates only to the sample (s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of MTEC, nor used in any way as to lead to misrepresentation of the results or their implications. MTEC will not accept liability for any damage whatsoever, resulting directly or indirectly, from using data, results, conclusions or recommendations in this report for the purpose of designing, manufacturing or for other purposes.



MTEC is the name of National Metal and Materials Technology Center.



National Metal and Materials Technology Center  
National Science and Technology Development Agency  
114 Thailand Science Park, Pathayathin Rd.,  
Klong 1, Klong Luang, Pathumthani 12120 Thailand.  
Tel: 66 2564 6500 ext. 4215, 4249 Fax: 66 2564 6502  
E-mail: Savitree@mtec.or.th http://www.mtec.or.th



Approved Thailand  
Laboratory

## TEST REPORT

THE THREE TOUCH ASIA PACIFIC CO., LTD.  
56/23 Serithai Rd., Kannayao,  
Kannayao, Bangkok 10230, Thailand  
Tel: 66 2379 9065-7

FAO: Nuttawan Kraikabkaew

REPORT OF TESTS ON TILES

Your Reference TILE: BLEZZ / BLEZZ – GLAZED CLAY TILE  
Colour/Details: White/4 x 4"  
MTEC Samples 1101455 - 1101494

Date Reported 14-07-2011 Order/Job No. TL10-0057/14  
Date Received 08-07-2011 Dates of Test 08-07-2011 to 14-07-2011

### DETERMINATION OF CHEMICAL RESISTANCE

ISO 10545-13: 1995

#### Sample description and preparation

Five test specimens of glazed tile were used with each test solution. The surface was cleaned with methanol before testing.

#### Standard used

ISO 13006 is used for showing compliance.

#### Results

Chemical Resistance for Glazed Tiles

TEST Solutions	Sample Number				
	1	2	3	4	5
1. Ammonium Chloride solution 100 g/l	GA	GA	GA	GA	GA
2. Sodium Hypochlorite solution 20mg/l	GA	GA	GA	GA	GA
3. Hydrochloric Acid solution 3% v/v	GLA	GLA	GLA	GLA	GLA
4. Citric Acid solution 100g/l	GLA	GLA	GLA	GLA	GLA
5. Potassium Hydroxide solution 30g/l	GLA	GLA	GLA	GLA	GLA
6. Hydrochloric Acid solution 18% v/v	GHA	GHA	GHA	GHA	GHA
7. Lactic Acid solution 5% v/v	GHA	GHA	GHA	GHA	GHA
8. Potassium Hydroxide solution 100g/l	GHA	GHA	GHA	GHA	GHA

For household chemicals and swimming pool salts (1 and 2) the Class is GA.  
The stipulation is for a minimum of Class GB and so the tiles comply with the requirements.

For low concentration acids and alkalis (3, 4 and 5) the Class is GLA.  
For high concentration acids and alkalis (6, 7 and 8) the Class is GHA.

End of Test Report

Savitree Kongkeatvanit  
Authorised Signatory

Page No. 1 of 1

This report is issued in accordance with the Conditions of Business of MTEC and relates only to the sample (s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of MTEC, nor used in any way as to lead to misrepresentation of the results or their implications. MTEC will not accept liability for any damage whatsoever, resulting directly or indirectly, from using data, results, conclusions or recommendations in this report for the purpose of designing, manufacturing or for other purposes.



MTEC is the name of National Metal and Materials Technology Center.



National Metal and Materials Technology Center  
National Science and Technology Development Agency  
114 Thailand Science Park, Pathayathin Rd.,  
Klong 1, Klong Luang, Pathumthani 12120 Thailand.  
Tel: 66 2564 6500 ext. 4215, 4249 Fax: 66 2564 6502  
E-mail: Savitree@mtec.or.th http://www.mtec.or.th



Approved Thailand  
Laboratory

## TEST REPORT

THE THREE TOUCH ASIA PACIFIC CO., LTD.  
56/23 Serithai Rd., Kannayao,  
Kannayao, Bangkok 10230, Thailand  
Tel: 66 2379 9065-7

FAO: Nuttawan Kraikabkaew

REPORT OF TESTS ON TILES

Your Reference TILE: BLEZZ / BLEZZ – GLAZED CLAY TILE  
Colour/Details: White/4 x 4"  
MTEC Samples 1101495 - 1101497

Date Reported 12-07-2011 Order/Job No. TL10-0057/16  
Date Received 08-07-2011 Date of Test 14-07-2011 to 15-07-2011

### DETERMINATION OF METAL RELEASE

ISO 10545-13: 1995

#### Sample description and preparation

Three test specimens of floor ware were used. The specimen was cleaned with methanol. It was then applied 100ml of solution prepared 8 mm wide and minimum 4 mm height, to the ground surface around the whole perimeter. Measured and calculated the area of the surface to be tested.

#### Standard used

ISO 13006 is used for showing compliance (requirements) – Test method analysis.

#### Results

MTEC Sample No.	Soluble Lead		Soluble Cadmium	
	mg/l	mg/dm <sup>2</sup>	mg/l	mg/dm <sup>2</sup>
1101495	<0.1	<0.1	<0.01	<0.01
1101496	<0.1	<0.1	<0.01	<0.01
1101497	<0.1	<0.1	<0.01	<0.01

Report prepared by Savitree

End of Test Report


Savitree Kongkeatvanit  
Authorised Signatory

Page No. 1 of 1

This report is issued in accordance with the Conditions of Business of MTEC and relates only to the sample (s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of MTEC, nor used in any way as to lead to misrepresentation of the results or their implications. MTEC will not accept liability for any damage whatsoever, resulting directly or indirectly, from using data, results, conclusions or recommendations in this report for the purpose of designing, manufacturing or for other purposes.



MTEC is the name of National Metal and Materials Technology Center.



Silver Gray Stone



Sukabumi Stone

AR TILE

AR TILE, the new trend of  
 floor decoration in the form  
 of a mobile app will make it  
 easier to enjoy this unique  
 flooring and each person

เดอะทรีทัช จำหน่ายและรับติดตั้ง กระเบื้องวอร์สระว่ายน้ำทุกชนิด รวมถึงหินสระว่ายน้ำ ( Sukabumi ) โมดสและกระเบื้องตกแต่งทุกชนิดให้บริการทุกๆท่านแล้ววันนี้...



TheThreeTouch Asia Pacific Co.,Ltd  
 56/23 Seri Thai Rd., Kannayao  
 Kannayao, Bangkok 10230 Thailand  
 Tel. +6664-516-3666 Fax. +662-3799070  
 Email : info@threetouch.net , threetouch@gmail.com  
 Export Department: cherrythe3touch@gmail.com  
 Website: blolzztile.com

-  [เดอะทรีทัช เอเชีย](#)
-  [BLOLZZTILE](#)
-  [@THREETHOUCH](#)
-  [@THREETHOUCH](#)



Website



Line OA